

2010 MAP SAMPLING SCHEDULE

GREENLEE

AZ0406001	DUNCAN, TOWN OF			
INITIAL MONITORING YEAR - 1993				
<u>EPDS</u>	<u>Begin Date</u>	<u>Population</u>	<u>System type</u>	<u>Source type</u>
EPDS003	2002	600	C	GW

NITRATE	Frequency
1040 NITRATE	1

2010 MAP SAMPLING SCHEDULE

GREENLEE

AZ0406001	DUNCAN, TOWN OF			
INITIAL MONITORING YEAR - 1993				
<u>EPDS</u>	<u>Begin Date</u>	<u>Population</u>	<u>System type</u>	<u>Source type</u>
EPDS004	2002	600	C	GW

NITRATE	Frequency
1040 NITRATE	1

2010 MAP SAMPLING SCHEDULE

GREENLEE

AZ0406002 MORENCI WATER & ELEC CO - CLIFTON				
INITIAL MONITORING YEAR - 1995				
<u>EPDS</u>	<u>Begin Date</u>	<u>Population</u>	<u>System type</u>	<u>Source type</u>
EPDS001	1995	2451	C	GW

ASB_NITRITE	Frequency
1041 NITRITE	Collect in 1st 3Y period of next 9Y cycle; next sample 2013
1094 ASBESTOS	Collect in 1st 3Y period of next 9Y cycle; next sample 2013

IOC_C	Frequency
1005 ARSENIC	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1010 BARIUM	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1015 CADMIUM	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1020 CHROMIUM	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1024 CYANIDE	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1025 FLUORIDE	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1035 MERCURY	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1036 NICKEL	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1045 SELENIUM	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1052 SODIUM	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1074 ANTIMONY, TOTAL	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1075 BERYLLIUM, TOTAL	Reduced monitoring, collect 1 sample every 9Y; next sample 2016
1085 THALLIUM, TOTAL	Reduced monitoring, collect 1 sample every 9Y; next sample 2016

NITRATE	Frequency
1040 NITRATE	1

RAD	Frequency
4002 GROSS ALPHA, INCL. RADON & U	1
4020 RADIUM-226	1
4030 RADIUM-228	1

SOC	Frequency
2005 ENDRIN	Waiver issued, collect 1 sample every 9Y; next sample 2016
2010 BHC-GAMMA	Waiver issued, collect 1 sample every 9Y; next sample 2016
2015 METHOXYCHLOR	Waiver issued, collect 1 sample every 9Y; next sample 2016
2020 TOXAPHENE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2031 DALAPON	Waiver issued, collect 1 sample every 9Y; next sample 2016
2032 DIQUAT	Waiver issued, collect 1 sample every 9Y; next sample 2016
2033 ENDOTHALL	Waiver issued, collect 1 sample every 9Y; next sample 2016
2034 GLYPHOSATE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2035 DI(2-ETHYLHEXYL) ADIPATE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2036 OXAMYL	Waiver issued, collect 1 sample every 9Y; next sample 2016
2037 SIMAZINE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2039 DI(2-ETHYLHEXYL) PHTHALATE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2040 PICLORAM	Waiver issued, collect 1 sample every 9Y; next sample 2016
2041 DINOSEB	Waiver issued, collect 1 sample every 9Y; next sample 2016
2042 HEXACHLOROCYCLOPENTADIENE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2046 CARBOFURAN	Waiver issued, collect 1 sample every 9Y; next sample 2016
2050 ATRAZINE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2051 LASSO	Waiver issued, collect 1 sample every 9Y; next sample 2016
2063 2,3,7,8-TCDD	Waiver issued, collect 1 sample every 9Y; next sample 2016
2065 HEPTACHLOR	Waiver issued, collect 1 sample every 9Y; next sample 2016
2067 HEPTACHLOR EPOXIDE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2105 2,4-D	Waiver issued, collect 1 sample every 9Y; next sample 2016
2110 2,4,5-TP	Waiver issued, collect 1 sample every 9Y; next sample 2016
2274 HEXACHLOROBENZENE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2306 BENZO(A)PYRENE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2326 PENTACHLOROPHENOL	Waiver issued, collect 1 sample every 9Y; next sample 2016
2383 TOTAL POLYCHLORINATED BIPHENYLS	Waiver issued, collect 1 sample every 9Y; next sample 2016
2931 1,2-DIBROMO-3-CHLOROPROPANE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2946 ETHYLENE DIBROMIDE	Waiver issued, collect 1 sample every 9Y; next sample 2016
2959 CHLORDANE	Waiver issued, collect 1 sample every 9Y; next sample 2016

VOC	Frequency
2378 1,2,4-TRICHLOROENZENE	1
2380 CIS-1,2-DICHLOROETHYLENE	1
2955 XYLENES, TOTAL	1
2964 DICHLOROMETHANE	1
2968 O-DICHLOROBENZENE	1
2969 P-DICHLOROBENZENE	1
2977 1,1-DICHLOROETHYLENE	1
2979 TRANS-1,2-DICHLOROETHYLENE	1
2980 1,2-DICHLOROETHANE	1
2981 1,1,1-TRICHLOROETHANE	1
2982 CARBON TETRACHLORIDE	1
2983 1,2-DICHLOROPROPANE	1
2984 TRICHLOROETHYLENE	1
2985 1,1,2-TRICHLOROETHANE	1
2987 TETRACHLOROETHYLENE	1
2989 CHLOROBENZENE	1
2990 BENZENE	1
2991 TOLUENE	1
2992 ETHYLBENZENE	1
2996 STYRENE	1

2010 MAP SAMPLING SCHEDULE

GREENLEE

AZ0406003 MORENCI WATER & ELEC CO - MAIN				
INITIAL MONITORING YEAR - 1994				
<u>EPDS</u>	<u>Begin Date</u>	<u>Population</u>	<u>System type</u>	<u>Source type</u>
EPDS001	1994	1879	C	SW

NITRATE		Frequency
1040	NITRATE	1

VOC		Frequency
2378	1,2,4-TRICHLOROBENZENE	1
2380	CIS-1,2-DICHLOROETHYLENE	1
2955	XYLENES, TOTAL	1
2964	DICHLOROMETHANE	1
2968	O-DICHLOROBENZENE	1
2969	P-DICHLOROBENZENE	1
2977	1,1-DICHLOROETHYLENE	1
2979	TRANS-1,2-DICHLOROETHYLENE	1
2980	1,2-DICHLOROETHANE	1
2981	1,1,1-TRICHLOROETHANE	1
2982	CARBON TETRACHLORIDE	1
2983	1,2-DICHLOROPROPANE	1
2984	TRICHLOROETHYLENE	1
2985	1,1,2-TRICHLOROETHANE	1
2987	TETRACHLOROETHYLENE	1
2989	CHLOROBENZENE	1
2990	BENZENE	1
2991	TOLUENE	1
2992	ETHYLBENZENE	1
2996	STYRENE	1

2010 MAP SAMPLING SCHEDULE

GREENLEE

AZ0406004 VERDE LEE WATER CO				
INITIAL MONITORING YEAR - 1994				
<u>EPDS</u>	<u>Begin Date</u>	<u>Population</u>	<u>System type</u>	<u>Source type</u>
EPDS001	1994	470	C	GW

NITRATE	Frequency
1040 NITRATE	1

2010 MAP SAMPLING SCHEDULE

GREENLEE

AZ0406004 VERDE LEE WATER CO				
INITIAL MONITORING YEAR - 1994				
<u>EPDS</u>	<u>Begin Date</u>	<u>Population</u>	<u>System type</u>	<u>Source type</u>
EPDS002	2007	470	C	GW

NITRATE		Frequency
1040	NITRATE	1

VOC		Frequency
2378	1,2,4-TRICHLOROBENZENE	1
2380	CIS-1,2-DICHLOROETHYLENE	1
2955	XYLENES, TOTAL	1
2964	DICHLOROMETHANE	1
2968	O-DICHLOROBENZENE	1
2969	P-DICHLOROBENZENE	1
2977	1,1-DICHLOROETHYLENE	1
2979	TRANS-1,2-DICHLOROETHYLENE	1
2980	1,2-DICHLOROETHANE	1
2981	1,1,1-TRICHLOROETHANE	1
2982	CARBON TETRACHLORIDE	1
2983	1,2-DICHLOROPROPANE	1
2984	TRICHLOROETHYLENE	1
2985	1,1,2-TRICHLOROETHANE	1
2987	TETRACHLOROETHYLENE	1
2989	CHLOROBENZENE	1
2990	BENZENE	1
2991	TOLUENE	1
2992	ETHYLBENZENE	1
2996	STYRENE	1

2010 MAP SAMPLING SCHEDULE

GREENLEE

AZ0406005 LOMA LINDA WATER CO				
INITIAL MONITORING YEAR - 1993				
<u>EPDS</u>	<u>Begin Date</u>	<u>Population</u>	<u>System type</u>	<u>Source type</u>
EPDS001	1993	350	C	GW

NITRATE	Frequency
1040 NITRATE	1

2010 MAP SAMPLING SCHEDULE

GREENLEE

AZ0406009 TOWN OF DUNCAN-HUNTER WTR				
INITIAL MONITORING YEAR - 1994				
<u>EPDS</u>	<u>Begin Date</u>	<u>Population</u>	<u>System type</u>	<u>Source type</u>
EPDS001	1994	250	C	GW

<u>NITRATE</u>	<u>Frequency</u>
1040 NITRATE	1

2010 MAP SAMPLING SCHEDULE

GREENLEE

AZ0406305 VALLEY VIEW MHP				
INITIAL MONITORING YEAR - 1993				
<u>EPDS</u>	<u>Begin Date</u>	<u>Population</u>	<u>System type</u>	<u>Source type</u>
EPDS001	1993	165	C	GW

<u>NITRATE</u>	<u>Frequency</u>
1040 NITRATE	1