



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
COMPOSTING TOILETS (R18-9-E303)				
Clivus Multrum, Inc.	M-1	10 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-2	15 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-3	40 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-10	60 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-12	80 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-15	100 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-18	120 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-22	80 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-25	100 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-28	120 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-32	110 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M-35	180 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Clivus Multrum, Inc.	M54ADA	60 uses per day	R18-9-E303	www.clivusmultrum.com Reauthorized November, 2005
Sancor Industries, Ltd	Envirolet® Basic Plus	2 uses per day	R18-9-E303	www.envirolet.com Reauthorized November, 2005
Sancor Industries, Ltd	Envirolet® DC12	4 uses per day	R18-9-E303	www.envirolet.com Reauthorized November, 2005
Sancor Industries, Ltd	Envirolet® MS10	6 uses per day	R18-9-E303	www.envirolet.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 1000	5 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
Sun-Mar Corporation	Centrex 1000 NE	4 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 1000 AC/DC	5 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 2000	7 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 2000 NE	6 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 2000 AC/DC	7 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 2000 AF/NE	5 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 2000 AF	6 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 2000 AF AC/DC	6 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 3000	9 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 3000 NE	8 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 3000 AC/DC	9 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 3000 AF/NE	7 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 3000 AF	8 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Centrex 3000 AF AC/DC	8 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
Sun-Mar Corporation	Sun-Mar-Excel	3 uses per day	R18-9-E303	www.sun-mar.com Reauthorized November, 2005
ENGINEERED PAD SYSTEMS (R18-9-E309)				
Eljen Corporation	GSF Geotextile Sand Filter A42 Module	25 gallons per day per pad	R18-9-E309	www.eljen.com Revised Approval Pending



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
Eljen Corporation	GSF Geotextile Sand Filter B43 Module	30 gallons per day per pad	R18-9-E309	www.eljen.com Revised Approval Pending
PEAT FILTERS (R18-9-E311)				
Premier Tech	Ecoflo® ST-500 or STB-500	420 gallons per day	R18-9-E311	www.premiertech.com Reauthorized November, 2005
Premier Tech	Ecoflo® ST-650 or STB-650	600 gallons per day	R18-9-E311	www.premiertech.com Reauthorized November, 2005
Bord Na Móna	Puraflow Peat Biofilter	150 gallons per day per module	R18-9-E311	www.bnm-us.com Reauthorized November, 2005
TEXTILE FILTERS (R18-9-E312)				
Orenco Systems, Inc	AdvanTex AX20N	600 gallons per day	R18-9-E312	www.orencosystems.com Reauthorized November, 2005
Orenco Systems, Inc	AdvanTex AX15-2N	800 gallons per day	R18-9-E312	www.orencosystems.com Reauthorized November, 2005
Orenco Systems, Inc	AdvanTex AX20-2N	1000 gallons per day	R18-9-E312	www.orencosystems.com Reauthorized November, 2005
Orenco Systems, Inc	AdvanTex AX15-3N	1200 gallons per day	R18-9-E312	www.orencosystems.com Reauthorized November, 2005
Orenco Systems, Inc	AdvanTex AX20-3N	1500 gallons per day	R18-9-E312	www.orencosystems.com Reauthorized November, 2005
Orenco Systems, Inc	AdvanTex AX20 MODE 1 & MODE3	3150 gallons per day	R18-9-E312	www.orencosystems.com Approved July, 2009 Approval Document
Orenco Systems, Inc	AdvanTex AX100	24,000 gallons per day	R18-9-E312	www.orencosystems.com Approved March, 2009 Approval Document
SeptiTech, Inc.	M400	600 gallons per day	R18-9-E312	www.septitech.com Reauthorized November, 2005
SeptiTech, Inc.	M550	800 gallons per day	R18-9-E312	www.septitech.com Reauthorized November, 2005
SeptiTech, Inc.	M750	1200 gallons per day	R18-9-E312	www.septitech.com Reauthorized November, 2005
SeptiTech, Inc.	M1200	1750 gallons per day	R18-9-E312	www.septitech.com Reauthorized November, 2005



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
SeptiTech, Inc.	M1500	2250 gallons per day	R18-9-E312	www.septitech.com Reauthorized November, 2005
AEROBIC SYSTEMS (R18-9-E315)				
Acquired Wastewater Technologies (formerly H. E. Mc Grew, Inc)	Cajun Aire Advanced 500-T	500 gallons per day	R18-9-E315	www.acquiredwt.com Reauthorized November, 2005
Acquired Wastewater Technologies (formerly H. E. Mc Grew, Inc)	Cajun Aire Advanced 600-T	600 gallons per day	R18-9-E315	www.acquiredwt.com Reauthorized November, 2005
Acquired Wastewater Technologies (formerly H. E. Mc Grew, Inc)	Cajun Aire Advanced 600-S	600 gallons per day	R18-9-E315	www.acquiredwt.com Reauthorized November, 2005
Acquired Wastewater Technologies (formerly H. E. Mc Grew, Inc)	Cajun Aire Advanced 750-T	750 gallons per day	R18-9-E315	www.acquiredwt.com Reauthorized November, 2005
Acquired Wastewater Technologies (formerly H. E. Mc Grew, Inc)	Cajun Aire Advanced 1000-T	1000 gallons per day	R18-9-E315	www.acquiredwt.com Reauthorized November, 2005
Acquired Wastewater Technologies (formerly H. E. Mc Grew, Inc)	Cajun Aire Advanced 500-S	500 gallons per day	R18-9-E315	www.acquiredwt.com Reauthorized November, 2005
Acquired Wastewater Technologies (formerly H. E. Mc Grew, Inc)	Cajun Aire Advanced 750-S	750 gallons per day	R18-9-E315	www.acquiredwt.com Reauthorized November, 2005
AquaKlear, Inc.	AK500	500 gallons per day	R18-9-E315	www.aquaklear.net Reauthorized November, 2005
AquaKlear, Inc.	AK600	600 gallons per day	R18-9-E315	www.aquaklear.net Reauthorized November, 2005
AquaKlear, Inc.	AK750	750 gallons per day	R18-9-E315	www.aquaklear.net Reauthorized November, 2005
AquaKlear, Inc.	AK800	800 gallons per day	R18-9-E315	www.aquaklear.net Reauthorized November, 2005
AquaKlear, Inc.	AK1000	1000 gallons per day	R18-9-E315	www.aquaklear.net Reauthorized November, 2005
AquaKlear, Inc.	AK1500	1500 gallons per day	R18-9-E315	www.aquaklear.net Reauthorized November, 2005
Bio-Microbics, Inc.	MicroFast 0.5	500 gallons per day	R18-9-E315	www.biomicrobics.com Reauthorized November, 2005
Bio-Microbics, Inc.	MicroFast 0.75	750 gallons per day	R18-9-E315	www.biomicrobics.com Reauthorized November, 2005
Bio-Microbics, Inc.	MicroFast 0.9	900 gallons per day	R18-9-E315	www.biomicrobics.com Reauthorized November, 2005



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
Bio-Microbics, Inc.	MicroFast 1.5	1500 gallons per day	R18-9-E315	www.biomicrobics.com Reauthorized November, 2005
Cromaglass Corporation	CA-5	500 gallons per day	R18-9-E315	www.cromaglass.com Approved August, 2008 Approval Document
Cromaglass Corporation	CA-12	1200 gallons per day	R18-9-E315	www.cromaglass.com Reauthorized November, 2005
Cromaglass Corporation	CA-15	1500 gallons per day	R18-9-E315	www.cromaglass.com Reauthorized November, 2005
Cromaglass Corporation	CA-25	2500 gallons per day	R18-9-E315	www.cromaglass.com Reauthorized November, 2005
Cromaglass Corporation	CA-30	3000 gallons per day	R18-9-E315	www.cromaglass.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	600NC2T	500 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	600NC2	500 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	500N	500 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	500NC	500 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	600N	600 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	600NC	600 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	750N	750 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	750NC	750 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	1000N	1000 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	1000NC	1000 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	1500N	1500 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005
Clearstream Wastewater Systems, Inc	1500NC	1500 gallons per day	R18-9-E315	www.clearstreamsystems.com Reauthorized November, 2005



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
Consolidated Treatment Systems, Inc	Multi-Flo FTB 0.5	500 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Multi-Flo FTB 0.6	600 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Multi-Flo FTB 0.6-C	600 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Multi-Flo FTB 0.75	750 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Multi-Flo FTB 0.75-C	750 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Multi-Flo FTB 1.0	1000 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Multi-Flo FTB 1.0-C	1000 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Multi-Flo FTB 1.5	1500 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Nyadic M-6A	500 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Nyadic M-8A	600 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Nyadic M-1050A	800 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Nyadic M-1200A	1000 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Consolidated Treatment Systems, Inc	Nyadic M-2000A	1500 gallons per day	R18-9-E315	www.consolidatedtreatment.com Reauthorized November, 2005
Delta Environmental™	DF-40	400 gallons per day	R18-9-E315	www.deltaenvironmental.com Reauthorized November, 2005
Delta Environmental™	DF-50	500 gallons per day	R18-9-E315	www.deltaenvironmental.com Reauthorized November, 2005
Delta Environmental™	DF-60	600 gallons per day	R18-9-E315	www.deltaenvironmental.com Reauthorized November, 2005
Delta Environmental™	DF-75	750 gallons per day	R18-9-E315	www.deltaenvironmental.com Reauthorized November, 2005
Delta Environmental™	DF-100	1000 gallons per day	R18-9-E315	www.deltaenvironmental.com Reauthorized November, 2005



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
Delta Environmental™	DF-150	1500 gallons per day	R18-9-E315	www.deltaenvironmental.com Reauthorized November, 2005
Desoto Concrete Products, Inc	25T	500 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Desoto Concrete Products, Inc	25S	500 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Desoto Concrete Products, Inc	275T	750 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Desoto Concrete Products, Inc	275S	750 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Desoto Concrete Products, Inc	2100T	1000 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Desoto Concrete Products, Inc	2100S	1000 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Desoto Concrete Products, Inc	35T	500 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Desoto Concrete Products, Inc	35S	500 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Desoto Concrete Products, Inc	375T	750 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Desoto Concrete Products, Inc	375S	750 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Desoto Concrete Products, Inc	3100T	1000 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Ecological Tanks, Inc	Aqua Safe AS500	500 gallons per day	R18-9-E315	www.etiaquasafe.com Approved March, 2009 Approval Documents
Ecological Tanks, Inc	Aqua Safe AS600	600 gallons per day	R18-9-E315	www.etiaquasafe.com Approved March, 2009 Approval Documents
Ecological Tanks, Inc	Aqua Safe AS750	750 gallons per day	R18-9-E315	www.etiaquasafe.com Approved March, 2009 Approval Documents
Ecological Tanks, Inc	Aqua Safe AS1000	1000 gallons per day	R18-9-E315	www.etiaquasafe.com Approved March, 2009 Approval Documents



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
Ecological Tanks, Inc	Aqua Safe AS1500	1500 gallons per day	R18-9-E315	www.etiaquasafe.com Approved March, 2009 Approval Documents
Hoot Systems, LLC	H-500A	500 gallons per day	R18-9-E315	www.hootsystems.com Reauthorized November, 2005
Hoot Systems, LLC	H-600A	600 gallons per day	R18-9-E315	www.hootsystems.com Reauthorized November, 2005
Hoot Systems, LLC	H-750A	750 gallons per day	R18-9-E315	www.hootsystems.com Reauthorized November, 2005
Hoot Systems, LLC	H-1000A	1000 gallons per day	R18-9-E315	www.hootsystems.com Reauthorized November, 2005
Hydro-Action Industries	AP-500	500 gallons per day	R18-9-E315	www.hydro-action.com Reauthorized November, 2005
Hydro-Action Industries	AP-600	600 gallons per day	R18-9-E315	www.hydro-action.com Reauthorized November, 2005
Hydro-Action Industries	AP-750	750 gallons per day	R18-9-E315	www.hydro-action.com Reauthorized November, 2005
Hydro-Action Industries	AP-900	900 gallons per day	R18-9-E315	www.hydro-action.com Reauthorized November, 2005
Hydro-Action Industries	AP-1000	1000 gallons per day	R18-9-E315	www.hydro-action.com Reauthorized November, 2005
Hydro-Action Industries	AP-1500	1500 gallons per day	R18-9-E315	www.hydro-action.com Reauthorized November, 2005
Jet, Inc	J-500	500 gallons per day	R18-9-E315	www.jetincorp.com Reauthorized November, 2005
Jet, Inc	J-600	600 gallons per day	R18-9-E315	www.jetincorp.com Reauthorized November, 2005
Jet, Inc	J-750	750 gallons per day	R18-9-E315	www.jetincorp.com Reauthorized November, 2005
Jet, Inc	J-1000	1000 gallons per day	R18-9-E315	www.jetincorp.com Reauthorized November, 2005
Jet, Inc	J-1250	1250 gallons per day	R18-9-E315	www.jetincorp.com Reauthorized November, 2005
Jet, Inc	J-1500	1250 gallons per day	R18-9-E315	www.jetincorp.com Reauthorized November, 2005
MicroSepTec	EnviroServer ENFG 600	600 gallons per day	R18-9-E315	www.microseptec.com Reauthorized November, 2005



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
MicroSepTec	EnviroServer ENFG 1200	1200 gallons per day	R18-9-E315	www.microseptec.com Reauthorized November, 2005
MicroSepTec	EnviroServer ENFG 1500	1500 gallons per day	R18-9-E315	www.microseptec.com Reauthorized November, 2005
MicroSepTec	EnviroServer ES6-P	600 gallons per day	R18-9-E315	www.microseptec.com Reauthorized November, 2005
MicroSepTec	EnviroServer ES12-P	1200 gallons per day	R18-9-E315	www.microseptec.com Reauthorized November, 2005
MicroSepTec	EnviroServer ES6	600 gallons per day	R18-9-E315	www.microseptec.com Reauthorized November, 2005
MicroSepTec	EnviroServer ES12	1200 gallons per day	R18-9-E315	www.microseptec.com Reauthorized November, 2005
MicroSepTec	EnviroServer ES25	2500 gallons per day	R18-9-E315	www.microseptec.com Reauthorized November, 2005
Norweco, Inc.	Singulair 960-500	500 gallons per day	R18-9-E315	www.norweco.com Reauthorized November, 2005
Norweco, Inc.	Singulair 960-600	600 gallons per day	R18-9-E315	www.norweco.com Reauthorized November, 2005
Norweco, Inc.	Singulair 960-750	750 gallons per day	R18-9-E315	www.norweco.com Reauthorized November, 2005
Norweco, Inc.	Singulair 960-1000	1000 gallons per day	R18-9-E315	www.norweco.com Reauthorized November, 2005
Norweco, Inc.	Singulair 960-1250	1250 gallons per day	R18-9-E315	www.norweco.com Reauthorized November, 2005
Norweco, Inc.	Singulair 960-1500	1500 gallons per day	R18-9-E315	www.norweco.com Reauthorized November, 2005
Pro Flo Aerobic Systems, LP	500 TL	500 gallons per day	R18-9-E315	www.profloaerobic.com Reauthorized November, 2005
Pro Flo Aerobic Systems, LP	500 SL	500 gallons per day	R18-9-E315	www.profloaerobic.com Reauthorized November, 2005
Pro Flo Aerobic Systems, LP	750 SL	750 gallons per day	R18-9-E315	www.profloaerobic.com Reauthorized November, 2005
Pro Flo Aerobic Systems, LP	1000 TC	1000 gallons per day	R18-9-E315	www.profloaerobic.com Reauthorized November, 2005
Pro Flo Aerobic Systems, LP	500 SL	500 gallons per day	R18-9-E315	www.profloaerobic.com Reauthorized November, 2005



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
Pro Flo Aerobic Systems, LP	750 SL	750 gallons per day	R18-9-E315	www.profloaerobic.com Reauthorized November, 2005
Pro Flo Aerobic Systems, LP	750 PTSL	750 gallons per day	R18-9-E315	www.profloaerobic.com Reauthorized November, 2005
Southern Manufacturing Co.	SM500-F	500 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Southern Manufacturing Co.	SM600-F	600 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Southern Manufacturing Co.	SM750-F	750 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Southern Manufacturing Co.	SM1000-F	1000 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Southern Manufacturing Co.	SM1500-F	1500 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Tex-Aire, Inc.	Mighty Mac 500	500 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Tex-Aire, Inc.	Mighty Mac 600	600 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Tex-Aire, Inc.	Mighty Mac 750	750 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Tex-Aire, Inc.	Tex-Aire 500	500 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Tex-Aire, Inc.	Tex-Aire 600	600 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Tex-Aire, Inc.	Tex-Aire 750	750 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Tex-Aire, Inc.	Tex-Aire 1000	1000 gallons per day	R18-9-E315	No web site on record Reauthorized November, 2005
Zoeller Fusion Treatment Models	ZF-450	450 gallons per day	R18-9-E315	www.zoeller.com Approved June, 2009 Approval Documents
Zoeller Fusion Treatment Models	ZF-600	600 gallons per day	R18-9-E315	www.zoeller.com Approved June, 2009 Approval Documents
Zoeller Fusion Treatment Models	ZF-800	800 gallons per day	R18-9-E315	www.zoeller.com Approved June, 2009 Approval Documents



LIST OF PROPRIETARY PRODUCTS FOR ON-SITE WASTEWATER TREATMENT FACILITIES UNDER THE TYPE 4 GENERAL AQUIFER PROTECTION PERMIT, ARIZONA ADMINISTRATIVE CODE, TITLE 18, CHAPTER 9, R18-9-A309E

Manufacturer	Model	Maximum Design Flow	Category	Comments
NITRATE-REACTIVE MEDIA FILTERS (R18-9-E316)				
Nutrient Removal Technologies, Inc	Nitrex Filter AZ-300	300 gallons per day	R18-9-E316	www.LombardoAssociates.com Approved August, 2009 Approval Documents
Nutrient Removal Technologies, Inc	Nitrex Filter AZ-450	450 gallons per day	R18-9-E316	www.LombardoAssociates.com Approved August, 2009 Approval Documents
Nutrient Removal Technologies, Inc	Nitrex Filter AZ-600	600 gallons per day	R18-9-E316	www.LombardoAssociates.com Approved August, 2009 Approval Documents